

Cisco

210-065 Exam

Implementing Cisco Video Network Devices v1.0 Exam

Thank you for Downloading 210-065 exam PDF Demo

You can Buy Latest 210-065 Full Version Download

https://www.certkillers.net/Exam/210-065

Version: 20.0

An engineer must change the network settings for SIP on a TC endpoint Which API command must be used. A. xPreference B. xConfuguration C. xFeedback D. xCommand E. xHelp Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Question: 3 Cisco Unified Communications Manager backup servers use which protocol to transfer files?
used. A. xPreference B. xConfuguration C. xFeedback D. xCommand E. xHelp Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging D. Instant Messaging Question: 3
B. xConfuguration C. xFeedback D. xCommand E. xHelp Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Question: 3 Answer: B
B. xConfuguration C. xFeedback D. xCommand E. xHelp Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Question: 3 Answer: B
C. xFeedback D. xCommand E. xHelp Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
Answer: B Question: 2 A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Question: 3 Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A voice engineer is setting up Cisco Jabber IM and must provide visibility for users not on their contact list Which feature must be enabled to allow this visibility? A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Question: 3 Answer: B
A. Availability Sharing B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
B. Ad-Hoc Presence Subscription C. Offline Messaging D. Instant Messaging Answer: B Question: 3
C. Offline Messaging D. Instant Messaging Answer: B Question: 3
D. Instant Messaging Answer: B Question: 3
Question: 3
Question: 3
Question: 3
Cisco Unified Communications Manager backup servers use which protocol to transfer files?
A. TFTP
B. SJSFTP
C. SSH
D. NDMP
Answer: B
Question: 4

Which purpose of the Cisco SIP Proxy service in Cisco Unified CM IM&P is true?

Answer: B

A. Collect, aggregate, and distribute user capabilities and attributes using the standards-based SIP and SIMPLE interface B. Keep IM&P data synchronized with Cisco Unified Communications Manager data C. Provide the SIP registrar and proxy functionality D. Enable browser-based clients to connect to IM&P Answer: B **Question: 5** A network engineer must install a video conferencing solution that needs TIP protocol for multiscreen setups. Which product enables TIP support via API? A. MCU 3515 B. Cisco TPs C. UCS Server D. Cisco Meeting Server Answer: D **Question: 6** You just noticed an alarm with ID 15011 on a Cisco VCS. Which type of issue does this alarm signal? A. hardware B. software C. network D. licensing **Answer: B** Question: 7 Which is an immersive endpoint? A. Cisco Telepresence DX80 B. Cisco Telepresence 1X5000 C. Cisco Telepresence RoomKit D. Cisco Telepresence Room55

Question: 8

Video conference users in a remote location are complaining of pixelated images and poor video quality. What is a likery cause of this issue?

- A. The WAN link is down.
- B. Network issues are causing excessive packet loss
- C. Feedback is occurring between the endpoint speaker and microphone
- D. Static interference is coming from nearby Bluetooth devices

Answer: B

Question: 9

A customer is requesting a distance learning environment that provides live video of the instructor and the students, a physical document, and a PC presentation, all combined in one video feed. The instructor should be able to customize the layout from a PC. To fulfill this request, which two components are required? (Choose two.)

- A. Cisco Telepresence MCU
- B. Cisco Telepresence Codec C90
- C. Cisco Telepresence Codec C40
- D. four cameras
- E. Cisco TC Console

Answer: B, E

Question: 10

Which two fields must be configured for a Cisco TelePresence device to connect to a Phonebook source? (Choose two.)

- A. Phonebook Server > Phonebook
- B. Phonebook Server > Provisioning
- C. Phonebook Server > URL
- D. Phonebook Server > Type
- E. Phonebook Server > Host

Answer: CD

Thank You for trying 210-065 PDF Demo

To Buy Latest 210-065 Full Version Download visit link below

https://www.certkillers.net/Exam/210-065

Start Your 210-065 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 210-065 preparation with actual exam questions.